

Specialist Cupboards

Secure storage for specific equipment and applications



Probe

Specialist cupboards

A range of robust cupboards for specific storage needs.



Tall cupboard
C1961CXDOB29S13E / C1961CXDOB29S14E

■ 3 or 4 shelves

Height - 1820mm	
Width mm	Depth mm
915	505



Slim cupboard
C1661TXDOB29S13E

■ 3 shelves

Height - 1820mm	
Width mm	Depth mm
477	505

PPE cupboards

Blue doors with silver grey body with high visibility 270 degree labelling, complying to BS5499-1.



Low cupboard
CH961EXDOB29S11E

■ 1 shelf

Height - 984mm	
Width mm	Depth mm
915	505



Low cabinet
CH661EXDOB29S12E

■ 2 shelves

Height - 984mm	
Width mm	Depth mm
477	505

Medical cupboards

White body and doors with high visibility, 270 degree labelling, complying to BS5499-1.



Slim cupboard
C1961CNGNG29S13M

■ 3 shelves

Height - 1820mm	
Width mm	Depth mm
477	505



Cube
WU1818A01NGNGM

■ No shelf

Height - 450mm	
Width mm	Depth mm
450	450



Low cabinet
CH661ENGG29S12M

■ 2 shelves

Height - 984mm	
Width mm	Depth mm
477	505



Low cupboard
CH961ENGG29S11M_

■ 1 shelf

Height - 984mm	
Width mm	Depth mm
915	505



Tall cupboard
C1961CNGNG29S13M

■ 3 shelves

Height - 1820mm	
Width mm	Depth mm
915	505

Specialist cupboards

COSHH cupboards

Doors and body in silver grey with high visibility self write labels for you to personalise the contents.

- Fully welded integral sump to limit leakage and contain spillages.
- Cupboards feature adjustable shelves on a 25mm vertical pitch capable of carrying a maximum of 90kg UDL.
- Doors feature vertical stiffening for added strength.



Tall cupboard
H1961HXDXD29S13
 ■ 3 shelves

Height - 1905mm	
Width mm	Depth mm
915	505



Low cupboard
HH961HXDXD29S11
 ■ 1 shelf

Height - 1070mm	
Width mm	Depth mm
915	505



Low cabinet
HH661HXDXD29S12
 ■ 2 shelves

Height - 1070mm	
Width mm	Depth mm
477	505

Probe

01244 940792 | info@probe-lockers.ltd.uk

| www.probe-lockers.ltd.uk

The information contained in this leaflet was accepted as correct at the date of publication. However, we reserve the right to make any necessary changes, in line with product development and trading conditions. Although all reasonable care has been taken to make it as complete and accurate as possible, no liability can be accepted for any inaccuracies or omissions. E+OE.