

# Imperial Standard Steel Lockers

Secure personal storage



# Probe

# Standard Steel Lockers

**Our steel lockers are a great way to provide durable personal storage in schools, factories and offices and dry areas in sport centres and gyms. Our metal lockers are designed to withstand regular use and resist daily wear and tear making them ideal for use in busy environments.**

An array of lock options (see page 5), colours (see page 4), compartment configurations and accessories, including support frames, sloping tops and integrated bench seating, are also available for all lockers, offering a unique, customisable installation for your premises.

Manufactured in the UK, our factory operates quality systems in accordance with the latest ISO standards and NEBOSH regulations.

Lockers have been tested and conform to the requirements of the British Standard for Clothes Lockers BS 4680: 1996 'Standard Duty'.



## Nominal clear entry widths

Clear entry width = locker width minus 64mm



**MEETS BS 4680: 1996**

excluding size specification



Probe Steel Products are fire tested and approved in line with European Standard - EN 13501-1: 2007 +A1: 2009




All painted components are protected with a powder coating which incorporates ActiveCoat anti-bacterial technology.

ActiveCoat has been tested by an Internationally recognised microbiological testing laboratory for antibacterial performance, against the most widely encountered and problematic organisms including the MRSA Super bug and E-coli. These micro-organisms suffered a 99.9% reduction in population.



## Perforated doors

Available as an option.



Single locker Nest 2 Nest 3


## Nesting

Lockers can be supplied as nested units with lockers of the same overall dimensions, sharing common side panels, manufactured and supplied fitted together. Locker nesting makes efficiencies in manufacture, delivery, installation and space utilisation.

## Important note regarding locker installations


Wherever possible lockers should be secured to ensure stability. Single lockers should ideally be fixed back to a wall. Runs of lockers should be fixed together side-to-side and either fixed back to a wall or fixed back-to-back to another run of lockers.

# Full Height Lockers




**1 compartment**  
Fixed top shelf with double coat hook.

Height - 1780mm*	
Width mm	Depth mm
305	305
305	380
305	460
380	380
380	460
460	460



**2 compartment**  
Double coat hook per compartment.

Height - 1780mm*	
Width mm	Depth mm
305	305
305	380
305	460
380	380
380	460
460	460



**3 compartment**

Height - 1780mm*	
Width mm	Depth mm
305	305
305	380
305	460
380	380
380	460
460	460



**4 compartment**

Height - 1780mm*	
Width mm	Depth mm
305	305
305	380
305	460
380	380
380	460
460	460

\* Height rises with sloping top



**5 compartment**

Height - 1780mm*	
Width mm	Depth mm
305	305
305	380
305	460
380	380
380	460



**6 compartment**

Height - 1780mm*	
Width mm	Depth mm
305	460




**8 compartment**

Height - 1780mm*	
Width mm	Depth mm
305	460

## Three quarter locker

The three quarter locker fills the gap between standard low lockers and full height lockers.



**3 compartment**

Height - 1350mm*	
Width mm	Depth mm
305	305
305	460

# Accessories & colours

## Accessories




Sloping top height	
Locker depth	Additional height
300	125
305	127
380	158
450	187
460	189

Sloping tops are essential in hygiene sensitive locations (such as hospitals and the food industry). The slope prevents items and litter being left on locker tops and makes cleaning easier. Sloping Tops have a 22° upward slope from front to back which will add height to your locker. This varies according to the locker depth.



Lockers are often used in areas where floors need frequent cleaning. Locker stands provide maximum floor access raising lockers 150mm off the floor.



Two hardwood slats and metal framework form a bench seat in front of the locker, allowing full access to the locker.

Units are 400mm high and come complete with adjustable feet.

Also available;

- Double coat hook
- Hanging rail
- Captive coat hanger



## Colour Options



ActiveCoat antimicrobial technology is incorporated into all our cupboards at the time of manufacture, offering constant protection against a wide range of bacteria.

### Body colour range

Choice of 3 body colours.



### Standard door colour range

Choice of 7 door colours.



### Autumn door colour range

Choice of 5 door colours.



Please note that due to printing restrictions colours represented may differ from original product. We recommend you request a colour swatch before ordering.



# Lock Options

\*Included in locker price. Request lock type at time of ordering.



## Type A – Probe cam lock\*

Even the standard lock has a micro sprung 10 disc lock featuring a massive 2000 serial combinations- all exclusive to Probe. Two keys are included with each standard lock.



## Type B – Hasp & staple\*

Attractive design allowing easy use of padlock fitting. Shank diameter maximum 7mm and minimum 5mm. Padlock sold separately.



## Type H (£1) – Dual coin/token return/retain

These locks are available with coin denominations £/€ or tokens, for either return or retain.




## Type P – Re-programmable combination lock

### User Re-programmable


An effective 4 digit code combination lock with 10,000 possible combinations, making losing keys a thing of the past.

Suitable for multi user applications. Master override key sold separately.



## Type L – Digital combination lock 40,000 combinations

Simple to program battery operated lock which can last up to 50,000 operations before needing changing. Emergency access using service key. Single user supplied as standard but multi-user option is available (specify when ordering)



## Type N – Nimbus RFID lock

The Nimbus RFID digital lock provides contactless locking and is compatible with RFID standards and incorporates a membrane touchpad for ease of programming. The keypad can also be used to override the lock when required.



## Type SPU - Public Type SPR - Private Public multi-user auto scramble combination lock

Automatically scrambles to 0000 when opened. Has 999 highly secure combinations available - no batteries needed. It has a metal matte black shell and has a master key override (supplied separately) for code finding and lock resetting.

# Lockers weights

Weights allows for Cam Lock and Hasp and Staple locks only.

## Full height lockers - 1780mm high

SINGLE Compartment		Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
305	305	21	39	57
305	380	23	42	61
305	460	25	45	65
380	380	25	46	
380	460	28	51	
460	460	30	55	

THREE Compartment		Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
305	305	25	47	69
305	380	27	50	73
305	460	29	53	77
380	380	28	52	
380	460	31	57	
460	460	33	59	

FIVE Compartment		Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
305	305	23	42	63
305	380	26	48	70
305	460	29	53	77
380	380	28	50	
380	460	30	54	
460	460	32	58	

EIGHT Compartment		Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
305	460	27	59	71

TWO Compartment		Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
305	305	21	40	59
305	380	24	43	62
305	460	26	46	66
380	380	25	46	
380	460	28	51	
460	460	31	56	

FOUR Compartment		Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
305	305	22	41	60
305	380	25	46	67
305	460	27	49	71
380	380	28	52	
380	460	31	58	
460	460	34	63	

SIX Compartment		Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
305	305	24	45	66
305	380	27	50	73
305	460	30	55	80
380	380	31	58	
380	460	34	69	

## Three quarter height locker - 1350mm high

Three Compartment		Single	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
305	305	11	22	33
305	460	13	26	39

# Imperial locker code structures

Prefix	Width mm 2 = 305 3 = 381 5 = 457		Locker Nesting 1, 2, 3	Carcass colour Refer to table		Lock Type Refer to table	
P	1	2	1	1	--	--	--
	Height mm 1 = 1780		Depth mm 2 = 300 3 = 381 5 = 457		Doors 1, 2, 3, 4, 5, 6, 8,		Sloping top ST - optional

### Example locker codes

**P12211XDOB00** –1780(H),305(W),305(D), silver grey carcass, blue doors, nest 1, 1 door, cam lock

**P12211XDOB00ST** –1780(H),305(W),305(D), silver grey carcass, blue doors, cam lock, nest 1, 1 door, sloping top

### Lock Codes

Code	Type	Description
00	Type A	Cam lock / deadlock
11	Type B	Hasp & Staple
81	Type H	Coin return
68V	Type L	Digital combination - vertical orientation
68H	Type L	Digital combination - horizontal orientation
72	Type N	Nimbus RFID - vertical orientation
73	Type N	Nimbus RFID - horizontal orientation
6P	Type P	Reprogrammable combination
7Q	Type SPR	Multi user scramble - Private
8Q	Type SPU	Multi user scramble – Public

### Carcass colour

Code	Colour
XD	Silver / Grey
SK	Black
NG	White

### Door colour

Code	Colour
AQ	Red
LW	Yellow
NG	White
OB	Blue
SK	Black
WB	Green
XD	Silver / Grey
VT	Ocean
LJ	Jade
UH	Orange
AC	Lilac
SY	Lemon

# Probe

A Trusted **Whittan** Brand

0161 368 4286 | enquiries.lockers@whittan.com | www.probe-manufacturing.co.uk

The information contained in this leaflet was accepted as correct at the date of publication. However, we reserve the right to make any necessary changes, in line with product development and trading conditions. Although all reasonable care has been taken to make it as complete and accurate as possible, no liability can be accepted for any inaccuracies or omissions. E+OE.